

L Number	Hits	Search Text	DB	Time stamp
-	2	("5456176").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11: 22
-	0	(101/006).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 15
-	0	(101/006.00).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 16
-	11410	rotary near2 press	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 16
-	750	(rotary near2 press) and (work\$7 anvil) near3 (cylinder cylinders disk disks drum drums feedroller nip nips path roller rollers roll rolls rotary wheel wheels)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 32
-	1	((rotary near2 press) and (work\$7 anvil) near3 (cylinder cylinders disk disks drum drums feedroller nip nips path roller rollers roll rolls rotary wheel wheels)) and emboss\$6 near3 plate\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 20
-	100	((rotary near2 press) and (work\$7 anvil) near3 (cylinder cylinders disk disks drum drums feedroller nip nips path roller rollers roll rolls rotary wheel wheels)) and heat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 22
-	0	((rotary near2 press) and (work\$7 anvil) near3 (cylinder cylinders disk disks drum drums feedroller nip nips path roller rollers roll rolls rotary wheel wheels)) and heat\$6 and prestress	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 26
-	3	B41F.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 29
-	0	("B41F.ipc.").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 29
-	0	("B00041F").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 31
-	145	(101/6).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 33
-	0	((101/6).CCLS.) and (work\$7 and anvil) near3 (cylinder cylinders disk disks drum drums feedroller nip nips path roller rollers roll rolls rotary wheel wheels)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 33
-	1	((101/6).CCLS.) and (work\$7 and anvil)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 33
-	0	((101/6).CCLS.) and heat\$4 and prestress	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 33

-	19	((101/6).CCLS.) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 34
-	0	(((((101/6).CCLS.) and heat\$4) and emboss\$4) and anvil) and prestress	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 35
-	3	(((((101/6).CCLS.) and heat\$4) and emboss\$4) and anvil	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 43
-	2	"11183181"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 45
-	2919011	Okazaki et al.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10: 45
-	61909	Okazaki et al.	JPO; DERWENT; IBM_TDB	2004/02/24 10: 46
-	0	((Okazaki et al.) and air) and signature	JPO; DERWENT; IBM_TDB	2004/02/24 10: 46
-	2821	(Okazaki et al.) and air	JPO; DERWENT; IBM_TDB	2004/02/24 10: 47
-	14	((101/6).CCLS.) and heat\$4) and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11: 13
-	101	(101/7).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 07: 31
-	1579	101/\$.ccls. and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 07: 32
-	605	(101/\$.ccls. and emboss\$4) and (adjust\$6 mov\$6) same (cylinder\$4 roll\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 07: 35
-	214	((101/\$.ccls. and emboss\$4) and (adjust\$6 mov\$6) same (cylinder\$4 roll\$6)) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 07: 36
-	137	((101/\$.ccls. and emboss\$4) and (adjust\$6 mov\$6) same (cylinder\$4 roll\$6)) and heat\$4) and temperature\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 14: 40
-	125	(101/22).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 14: 37
-	339	(101/23).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 14: 37

-	26	((101/23).CCLS.) and (adjust\$6 mov\$6) same (cylinder\$4 roll\$6) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 07: 38
-	2	("6561087").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 09: 31
-	2	("6668715").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 09: 53
-	179	(101/182).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 09: 56
-	2	((101/182).CCLS.) and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 50
-	0	((101/182).CCLS.) and emboss\$4 ) and prestress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 09: 57
-	2	((101/182).CCLS.) and emboss\$4 ) and spac\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 51
-	1	((101/182).CCLS.) and emboss\$4 ) and spac\$4) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 02
-	99	(101/184).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 12
-	0	((101/184).CCLS.) and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 03
-	19	((101/184).CCLS.) and spac\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 06
-	86	(101/185).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 12
-	0	((101/185).CCLS.) and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 12
-	718	(101/139-145).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 12
-	7	((101/139-145).CCLS.) and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10: 13

-	5	((((101/139-145).CCLS.) and emboss\$4 ) and spac\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10:45
-	297	(101/218).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10:50
-	6	((101/218).CCLS.) and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10:46
-	888	(101/247).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:06
-	14	((101/247).CCLS.) and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 09:42
-	11	((((101/247).CCLS.) and emboss\$4 ) and spac\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:04
-	0	(((((101/247).CCLS.) and emboss\$4 ) and spac\$4) and heater	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:04
-	2	((101/247).CCLS.) and prestress	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:11
-	4	((101/284-285).CCLS.) and emboss\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:12
-	209	(101/284-285).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:15
-	70534	emboss\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:15
-	4269	emboss\$6 and adjust\$6 same (cylinder\$4 roll\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:16
-	605	(emboss\$6 and adjust\$6 same (cylinder\$4 roll\$5)) and heater\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:18
-	0	((emboss\$6 and adjust\$6 same (cylinder\$4 roll\$5)) and heater\$4) and (spac\$4 or pressure) near3 adjusment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:18
-	0	((emboss\$6 and adjust\$6 same (cylinder\$4 roll\$5)) and heater\$4) and (spac\$4 pressure) same adjusment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:18

-	19	(emboss\$6 and adjust\$6 same (cylinder\$4 roll\$5)) and prestress	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:18
-	4395	emboss\$4 near3 plate\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:23
-	5	((emboss\$4 near3 plate\$4 near3 (cylinder\$4 roller\$4)) and (anvil or impression) near3 (cylinder\$4 roller\$4)) and spac\$4 same adjustment\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:28
-	1	((((emboss\$4 near3 plate\$4 near3 (cylinder\$4 roller\$4)) and (anvil or impression) near3 (cylinder\$4 roller\$4)) and spac\$4 same adjustment\$4) and prestress	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:28
-	24	(emboss\$4 near3 plate\$4 near3 (cylinder\$4 roller\$4)) and (anvil or impression) near3 (cylinder\$4 roller\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:34
-	3	rotary near3 press near3 support near3 strip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:35
-	130	(101/33).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 11:35
-	2	("20040035305").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 08:55
-	5145	flat near3 stamp\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 08:14
-	17	(flat near3 stamp\$4) and rotary near3 press	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 08:17
-	1	((flat near3 stamp\$4) and rotary near3 press) and prestress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 08:17
-	191	work\$4 near3 (roller\$4 cylinder\$4 hydraulic hydraulics pneumatic pneumatics) and anvil near3 (roller\$4 cylinder\$4 hydraulic hydraulics pneumatic pneumatics)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:09
-	127	(101/22).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:25
-	15	((101/22).CCLS.) and (heat\$4 temp\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:27
-	342	(101/23).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:27

-	34	((101/23).CCLS.) and (heat\$4 temp\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09: 52
-	10	("0262369"   "1050879"   "3150707"   "3325302"   "3404061"   "3827269"   "4498390"   "4895713"   "5466317"   "5902762").PN.	USPAT	2004/09/01 09: 29
-	3	((101/23).CCLS.) and (heat\$4 temp\$4)) and (spac\$4 gap\$4) near3 adjustment\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 25
-	3	((101/23).CCLS.) and (heat\$4 temp\$4)) and (spac\$4 gap\$4) near3 adjustment\$4 and (emboss\$4 impress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 59
-	0	((101/23).CCLS.) and (heat\$4 temp\$4)) and (spac\$4 gap\$4) near3 adjustment\$4 and (emboss\$4 impress\$4)) and pivot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09: 50
-	12	((101/23).CCLS.) and (heat\$4 temp\$4)) and (pivot\$4 rock\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13: 02
-	1	((101/22).CCLS.) and (spac\$4 gap\$4) near3 adjustment\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 28
-	182	(101/182).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 25
-	4	((101/182).CCLS.) and (spac\$4 gap\$4) near3 adjustment\$4) and (spac\$4 gap\$4) near3 adjustment\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 58
-	1	((101/182).CCLS.) and (spac\$4 gap\$4) near3 adjustment\$4) and (spac\$4 gap\$4) near3 adjustment\$4) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 27
-	87	(101/185).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 34
-	2	("5782182").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 34
-	18	emboss\$4 same eccentric same heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11: 31
-	4	((101/182).CCLS.) and (spac\$4 gap\$4) near3 adjustment\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 58
-	0	((101/23).CCLS.) and (heat\$4 temp\$4)) and (spac\$4 gap\$4) near3 adjustment\$4) and (emboss\$4 impress\$4)) and eccentric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10: 59
-	1	((101/182).CCLS.) and (spac\$4 gap\$4) near3 adjustment\$4) and (spac\$4 gap\$4) near3 adjustment\$4) and eccentric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11: 00

-	1535	impression and eccentric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:04
-	318	(impression and eccentric) and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:02
-	76	((impression and eccentric) and heat\$4) and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:04
-	426	impression same eccentric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:05
-	260	(impression same eccentric) and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:05
-	0	impression same eccentric same heat\$4 and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 08:30
-	0	impression same eccentric same heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:07
-	38	impression same eccentric and heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:07
-	14485	emboss\$4 same heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:16
-	266	(emboss\$4 same heat\$4) and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:17
-	180	((emboss\$4 same heat\$4) and 101/\$.ccls.) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:28
-	4	((emboss\$4 same heat\$4) and 101/\$.ccls.) and temperature) and eccentric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:28
-	1	("0100715").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:02
-	47	"0100715"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:03
-	76	((impression and eccentric) and heat\$4) and 101?\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 16:46

-	12	((impression and eccentric) and heat\$4 and 101/\$.ccls.) and adjust\$4 near3 (spac\$4 gap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 16:26
-	2	(impression same eccentric and heat\$4 and 101/\$.ccls.) and adjust\$4 near3 (spac\$4 gap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 16:27
-	260	impression same eccentric and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 16:27
-	38	(impression same eccentric and 101/\$.ccls.) and adjust\$4 near3 (spac\$4 gap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 16:27
-	26	impression same eccentric and heat\$4 and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 16:44
-	0	impression same eccentric and (cylindrical circular annular) near3 heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 16:47
-	4	impression and eccentric and (cylindrical circular annular) near3 heat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 16:47
-	281	impression same heat\$4 and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 08:30
-	516	(emboss\$4 impression) same heat\$4 and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 08:31
-	23	((emboss\$4 impression) same heat\$4 and 101/\$.ccls.) and (anvil back\$4) near3 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 09:13
-	354	heat\$4 near3 work\$4 near3 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 09:15
-	3	(heat\$4 near3 work\$4 near3 cylinder) and 101/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 09:15
-	39	heat\$4 near3 impression\$4 near3 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 09:15
-	180	emboss\$4 near3 plate\$4 near3 (cylinder\$4 roller\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 09:37
-	1066	emboss\$4 near3 plate\$4 same (heat\$4 thermal\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 09:43



-	43	(emboss\$4 near3 plate\$4 same (heat\$4 thermal\$4)) and 101/5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 09:43
-	2	("6062134").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 08:55